

WELLLINK

VIDEO DOOR PHONE









video door phone

The Eve of the home

Onetouch OT-ADP-A3 is a premium series Wired 7 inch FHD video door phone kit for standalone apartment and villa with handsfree video intercom communication.

Display: 7" LCD Touch Screen, (1024X600 Resolution)

Ultra-thin and Slim design

Built-in Memory for about 120 photos

Support max 128GB SD card

Extendable to 2 outdoor units, 3 indoor units, 2 security cameras.

Recording & snapshot available

Call transfer and intercom between any two monitors

Voice Changer and Voice Message

Digital Photo Frame

High resolution 2MP CMOS Camera with 1/2.7' Lens

120 Degree Wide Angle Lens

Night vision with IR

Relay Port for Electronic-Lock Unlocking

IP65 Water Proof, Damage-Proof, Oxidation-Proof

₹7,070/-

To Re-engineer , Re-invent and Realize your Video Inter

FEATURES

Display: 7" HD LCD Touch Screen LCD Screen Resolution: 1024×600

Camera: 2MP CMOS Sensor Viewing Angle: 120 degree Night Vision: IR LED Light

Relay: Door Lock Relay Port Common Parameters (IDU/ODU)

Speaker: 2W (90 dB) Temperature: 0°C~+55°C Power Supply: 12V 1A DC

Installation: Straight Wall mount or

onetouch





video door phone

Onetouch OT-ADP-A2 is a premium series 7 inch analog video door phone kit for standalone apartment and villa with handsfree video intercom communication.

Display: 7" TFT LCD, (1024X600 Resolution)

Hands-free intercom

Ultra-thin and Slim design

Built-in Memory for about 120 photos

Support max 32GB SD card

Extendable to 2 outdoor units, 3 indoor units, 2 security cameras.

Recording & snapshot available

Call transfer and intercom between any two monitors

Volume, Brightness and Contrast control

High resolution 2MP CMOS Camera with 1/2.7' Lens

120 Degree Wide Angle Lens

Night vision with IR

Relay Port for Electronic-Lock Unlocking

IP65 Water Proof, Damage-Proof, Oxidation-Proof

To Re-engineer , Re-invent and Realize your Video Intercom plans talk to

FEATURES

Display:7" LCD with Touch buttons

LCD Screen Resolution: 1080 × 600

Interface: Copper (4 Wire) Camera : 2MP CMOS Sensor

Viewing Angle: 120 degree Relay: Door Lock Relay Port

Common Parameters (IDU/ODU)

Speaker: 2W (90 dB) Temperature: 0°C~+55°C Power Supply: 12V 1A DC

Installation: Straight Wall mount or

₹6,000/-



onetouch



Onetouch OT-ADP-A4 is a premium series Wireless 7 inch FHD video door phone kit for standalone apartment and villa with handsfree video intercom communication.

Extendable to 2 outdoor units , 3 indoor units, 2 security cameras.

Display: 7" LCD Touch Screen, (1024X600 Resolution)

Call transfer and intercom between any two monitors

High resolution 2MP CMOS Camera with 1/2.7' Lens

IP65 Water Proof, Damage-Proof, Oxidation-Proof

To Re-engineer, Re-invent and Realize your Video Intercom plans talk to

Ultra-thin and Slim design

Support max 128GB SD card

Recording & snapshot available

Voice Changer and Voice Message

Digital Photo Frame

Night vision with IR

Smart Phone Integrated

120 Degree Wide Angle Lens

Relay Port for Electronic-Lock Unlocking

Built-in Memory for about 120 photos

video door phone

FEATURES

Display: 7" HD LCD Touch Screen

Network: WiFi 802.11 ban

Camera : 2MP CMOS Sensor

Viewing Angle: 120 degree

Night Vision: IR LED Light Relay : Door Lock Relay Port

mon Parameters (IDU/ODU)

Speaker: 2W (90 dB)

Temperature: 0°C~+55°C

Power Supply: 12V 1A DC

Installation: Straight Wall mount or Angular Bracket

₹9,850/-

onetouch





Indoor Monitor

- 7 inch LCD Screen with Built in Dialpad
- SIP Based IP Video Door Phone with 2 Line SIP Account One Way Video and Two Way Audio intercom
- Wi-Fi enabled
- Call Forward , Call Wait , Contact Directory
- Sd Card Slot
- Directly Connect to Video Door Bell over UTP Catce/6 Cable Built in 8 Zone Smart Alarm Panel with Live Alerts
- Integration with SIP based Lobby Unit , Door Secondary Camera and Guard Unit

Video Door Bell

- Megapixel Video Door Bell with Wide Angle Lens
- 125 degree Viewing Angle
- Digital Door Lock Integration with built in Relay Single Lan Port For connecting directly with Indoor Monito
- Advanced Motion Sensor **₹15,250/-**

To Re-engineer , Re-invent and Realize your video intercom plans talk to

sip video door phone

The Eve of the home

FEATURES

Display:7" LCD Touch Screen LCD Screen Resolution: 800×480

Sd Card Slot

Camera: 2 M Pixel CMOS Sensor Viewing Angle : 125 degree

Night Vision: White LED Lights

ork Interface: 1 X 10/100 Mbps /WIFi

Common Parameters (IDU/ODU)

Temperature: o°C~+55°C

Power Supply: PoE 802.af / 12V DC Installation: Wallmount







video door phone

The Eye of the home

ONETOUCH ANALOG VIDEO DOOR PHONE - OT-ADP-A4

Onetouch OT-ADP-A4 is a premium series Wireless 7 inch FHD video door phone kit for standalone apartment and villa with handsfree video intercom communication.

Display: 7" LCD Touch Screen, (1024X600 Resolution)

Ultra-thin and Slim design

Built-in Memory for about 120 photos

Support max 128GB SD card

Extendable to 2 outdoor units, 3 indoor units, 2 security cameras.

Recording & snapshot available

Call transfer and intercom between any two monitors

Voice Changer and Voice Message

Digital Photo Frame

Smart Phone Integrated

Doorbell Monitoring

High resolution 2MP CMOS Camera with 1/2.7' Lens

120 Degree Wide Angle Lens

Night vision with IR

₹9,850/-

Relay Port for Electronic-Lock Unlocking

IP65 Water Proof, Damage-Proof, Oxidation-Proof

To Re-engineer, Re-invent and Realize your Video Intercom plans talk to

FEATURES

Display: 7" HD LCD Touch Screen

LCD Screen Resolution: 1080×600

Network: WiFi 802.11 bgn

Camera: 2MP CMOS Sensor

Viewing Angle: 120 degree

Night Vision: IR LED Light

Relay: Door Lock Relay Port

Common Parameters (IDU/ODU)

Speaker: 2W (90 dB)

Temperature: 0°C~+55°C

Power Supply: 12V 1A DC

Installation: Straight Wall mount or

Angular Bracket

Wired Model: OT-ADP-A4

Colour: Black/Silver









sip video door phone

The Eye of the home

Indoor Monitor

- 7 inch LCD Screen with Built in Dialpad
- SIP Based IP Video Door Phone with 2 Line SIP Account
- One Way Video and Two Way Audio intercom
- Wi-Fi enabled
- Dual Ethernet Onboard with PoE Port Forward to Connect Video Door Bell
- Call Forward, Call Wait, Contact Directory
- Sd Card Slot
- Directly Connect to Video Door Bell over UTP Cat5e/6 Cable
- Built in 8 Zone Smart Alarm Panel with Live Alerts
- Integration with SIP based Lobby Unit, Door Secondary Camera and Guard Unit
- PoE 802.af

Video Door Bell

- SIP Video Door Bell
- Megapixel Video Door Bell with Wide Angle Lens
- 125 degree Viewing Angle
- Digital Door Lock Integration with built in Relay
- Single Lan Port For connecting directly with Indoor Monitor

To Re-engineer, Re-invent and Realize your video intercom plans talk to

Advanced Motion Sensor

₹15,750/-

FEATURES

Display:7" LCD Touch Screen

LCD Screen Resolution: 800×480

Sd Card Slot

Network Interface: 2 X 10/100 Mbps

Camera: 2 M Pixel CMOS Sensor

Viewing Angle: 125 degree

Night Vision: White LED Lights

Network Interface: 1 X 10/100 Mbps /WIFi

Common Parameters (IDU/ODU)

Speaker: 2W (90 dB)

Temperature: o°C~+55°C

Power Supply: PoE 802.af / 12V DC

Installation: Wallmount

1 Year Warranty





video door phone

The Eye of the home

ONETOUCH ANALOG VIDEO DOOR PHONE - OT-ADP-A2

Onetouch OT-ADP-A2 is a premium series 7 inch analog video door phone kit for standalone apartment and villa with handsfree video intercom communication.

Display: 7" TFT LCD, (1024X600 Resolution)

Hands-free intercom

Ultra-thin and Slim design

Built-in Memory for about 120 photos

Support max 32GB SD card

Extendable to 2 outdoor units, 3 indoor units, 2 security cameras.

Recording & snapshot available

Call transfer and intercom between any two monitors

Volume, Brightness and Contrast control

Doorbell Monitoring

High resolution 2MP CMOS Camera with 1/2.7' Lens

120 Degree Wide Angle Lens

Night vision with IR

₹6,000/-

Relay Port for Electronic-Lock Unlocking

IP65 Water Proof, Damage-Proof, Oxidation-Proof

To Re-engineer, Re-invent and Realize your Video Intercom plans talk to

FEATURES

Display:7" LCD with Touch buttons

LCD Screen Resolution: 1080×600

Interface: Copper (4 Wire)

Camera: 2MP CMOS Sensor

Viewing Angle: 120 degree

Night Vision: IR LED Light

Relay: Door Lock Relay Port

Common Parameters (IDU/ODU)

Speaker: 2W (90 dB)

Temperature: 0°C~+55°C

Power Supply: 12V 1A DC

Installation: Straight Wall mount or

Angular Bracket

Wired Model : OT-ADP-A2

Colour : Black





video door phone

The Eye of the home

ONETOUCH ANALOG VIDEO DOOR PHONE - OT-ADP-A3

Onetouch OT-ADP-A3 is a premium series Wired 7 inch FHD video door phone kit for standalone apartment and villa with handsfree video intercom communication.

Display: 7" LCD Touch Screen, (1024X600 Resolution)

Ultra-thin and Slim design

Built-in Memory for about 120 photos

Support max 128GB SD card

Extendable to 2 outdoor units, 3 indoor units, 2 security cameras.

Recording & snapshot available

Call transfer and intercom between any two monitors

Voice Changer and Voice Message

Digital Photo Frame

Doorbell Monitoring

High resolution 2MP CMOS Camera with 1/2.7' Lens

120 Degree Wide Angle Lens

Night vision with IR

Relay Port for Electronic-Lock Unlocking

IP65 Water Proof, Damage-Proof, Oxidation-Proof

₹7,070/-

To Re-engineer, Re-invent and Realize your Video Intercom plans talk to

FEATURES

Display: 7" HD LCD Touch Screen

LCD Screen Resolution: 1024×600

Camera: 2MP CMOS Sensor Viewing Angle: 120 degree

Night Vision: IR LED Light

Relay: Door Lock Relay Port

Common Parameters (IDU/ODU)

Speaker: 2W (90 dB)

Temperature: 0°C∼+55°C

Power Supply: 12V 1A DC

Installation: Straight Wall mount or

Angular Bracket

Wired Model: OT-ADP-A3

Colour: Black/Silver













Integration

Integration

Panel

Smartphone Smart Alarm WiFi & Ethernet communication

ONETOUCH IP VIDEO DOOR PHONE – OT-IP-VDP-V4 (ANDROID)

Android Indoor Monitor

- 10 inch LCD Screen with Android 6
- Resolution 1280 X 800
- SIP Based IP Video Door Phone with 2 Line SIP Account
- Soft Dialpad
- One Way Video and Two Way Audio intercom
- Dual Ethernet + WiFI
- Support Community Contact Directory
- Sd Card Slot Supporting up to 32 Gb
- Directly Connect to Video Door Bell over UTP Cat5e/6 Cable
- Alarm: Support 8 channels input
- Relay Out: 2 Relay Out (NO/COM/NC)
- Relay In: 1 Relay In
- Smart Phone Integration
- Ethernet: 2x10/100 Mbps ports, auto-switching, auto-discovery, autonegotiating, full/half duplex, DHCP, IEEE802.3af compliant
- Built in Microphone and Speaker
- PoE 802.af / 12V Dc

₹27,500/-

To Re-engineer, Re-invent and Realize your Video Intercom plans talk to

smart video door phone

smart intercom for smart home

FEATURES

Display: 10" LCD Touch Screen

Android 6

LCD Screen Resolution: 1200 X 800

Network Interface: 2 X 10/100 Mbps

RAM 8 GB ROM 2 GB

Speaker: 2W (90 dB)

Temperature: 0°C~+55°C

Power Supply: PoE 802.af / 12V DC

Installation: Wallmount / Tablemount

1 Year Warranty

Under Warranty Call Lock thru Email and SMS





DS-KIS204T Four-Wire Analog Bundle







- 4-wire analog video intercom bundle for villa or house
- One call button for easier calls
- Supports captured picture storage
- Including DS-KB2411T-IM and DS-KH2220-S, 5-meter 4-wire cable, and other accessories
- European power supply adaptor included (please mark for other standards when you order)

₹6,300/-





DS-KIS603-P(B)
Video Intercom Network Bundle





- IP video intercom kit for villa or house, only one call button;
- DS-KV6113-WPE1 x1;
- DS-KH6320-WTE1 x1;
- PSU x2;

₹14,000/-





DS-KIS204T Four-Wire Analog Bundle

₹6,300/-







- 4-wire analog video intercom bundle for villa or house
- One call button for easier calls
- Supports captured picture storage
- Including DS-KB2411T-IM and DS-KH2220-S, 5-meter 4-wire cable, and other accessories
- European power supply adaptor included (please mark for other standards when you order)

DS-KIS603-P(B)
Video Intercom Network Bundle





₹14,000/-

- IP video intercom kit for villa or house, only one call button;
- DS-KV6113-WPE1 x1;
- DS-KH6320-WTE1 x1;
- PSU x2;



Solutions We Offer For...



RESIDENCE



FACTORY



OFFICE





HOTEL



SHOP



HOSPITAL



Solutions We Offer...



Touch Control Panel



Security & Intrusion system



Motion Sensor



Home Theatre System



Wifi Access Point & Network



CCTV camera/Wifi Camera



Smart music system Auxidio



Video Door Phone & Intercom



Gate Automation & Motorized Curtains



Interactive display & Video conferencing



Digital Door Lock



Access control

WE HAVE SUCCESSFULLY COMPLETED 500+ PROJECTS



Our Happy Clients are...































And many more...



Contacts





Welllink.shop/Welllink.in (\$\) 8849191339 / 7046691091



contact.welllink@gmail.com/support.welllink.in



Office Address:

501, Aaron spectra behind rajpath club rajapath rangoli road ,bodakdev, Ahmedabad, Gujarat 380054